

BIRD MANAGEMENT PRODUCTS



www.PestIT.com






Cleaner Greener Smarter



AvePro Deluxe Bird Netting

10-year manufacturer's warranty

AvePro Bird Netting sets the industry standard for strength, quality, UV stability and is backed by a 10-year manufacturer's warranty. AvePro Bird Netting is the ideal choice when it comes to excluding pest bird access to any architectural configuration that can be enclosed. This includes industrial, commercial, agricultural and domestic situations. Examples include warehouse ceilings, courtyards, open roof tops, loading docks, awnings, overhangs, parking garages, and building facades.



Specifications:

- Premium high-density polyethylene (HDPE) square, knotted net designed specifically for architectural use.
- Heat and fire resistance, as well as pest (vermin) and chemical resistant.
- Pre-stretched and heat-set during production, ensures that this net will not sag excessively over time.
- The UV stability additive in the high-density polyethylene (HDPE) allows for our unbeatable manufacturer's backed 10 year warranty. Even under Australia's harsh external climate.
- AvePro Deluxe is made to an ISO9001 accreditation.



AvePro Deluxe Net Sizes

AvePro Bird Netting 19mm Sizes and Order Codes:

- 10m x 10m - 13-APNBD-191010
- 10m x 20m - 13-APNBD-192010
- 20m x 20m - 13-APNBD-192020
- 25m x 15m - 13-APNBD-192515
- 50m x 10m - 13-APNBD-195010

AvePro Bird Netting 50mm Sizes and Order Codes:

- 10m x 10m - 13-APNBD-501010
- 10m x 20m - 13-APNBD-502010
- 20m x 20m - 13-APNBD-502020
- 50m x 10m - 13-APNBD-505010



AvePro Deluxe Bird Netting

Manufacture: 6 strands of Polyethylene UV treated twine.

The filaments are twisted and knotted for ultimate strength and longevity.

Heat-set, pressure stretched and tightened.

The number of strands: 2 x 3

Colour: Black, Beige and White

Twine Thickness: 1.0mm, 600D

GSM: 68 Grams Per Square Metre

UV Resistance: 10 years

Breaking strength per strand: 17kg



AvePro Deluxe Netting Kit

Introducing the newest and best way to purchase premium AvePro Deluxe Bird Net for your next bird job. You can save up to 30% off our standard trade price. This includes all the components needed, including AvePro Deluxe Bird Net, our premium 10-year warranty HDPE knotted 19mm netting, combined with ALL stainless steel components needed. Using our strongest 2.4mm 7x7 cable, your next netting install will be stronger, more corrosive resistant, longer-lasting and more economical than ever.

AvePro Deluxe Net Bird Kits:

Available in three sizes:

10m x 10m (100m²) Kit - 13-APKIT1010

20m x 10m (200m²) Kit - 13-APKIT1020

20m x 20m (400m²) Kit - 13-APKIT2020



FRUIT TREE NETTING



Viper Fruit Tree Netting

Manufacture: 5mm x 5mm diamond netting strands of Polyethylene UV treated twine.

Colour: White

Construction: Woven

GSM: 30 Grams Per Square Metre

UV Resistance: 5 years

Viper Fruit Tree Netting

Introducing our new, humane, wildlife compliant 5mm x 5mm woven diamond bird netting. Ideal for use in domestic fruit trees, vegetable patches and gardens. This fine netting provides protection from pest birds, flying foxes, bats, deer, possums and a variety of damaging critters.

Sizes:

2.5m x 2.5m - 15-VFTN-2.5x2.5m

4m x 4m - 15VFTN-4x4m

10m x 10m - 15VFTN-10x10

Viper Premium Fruit w Velco

Fully enclose your fruit trees with our premium 5mm x 5mm diamond netting with both velcro and a draw string. Super convenient for accessing ripening fruit, but completely safe to protect your valuable crop from maurading (spell) birds and animals.

Sizes:

1.25m x 2.5m - 15-VFTNV-1.2x2.5

Viper Fruit Net Bags

If your tree is too large to use a drape net or enclose the whole tree, you can protect individual or groups of fruit with our innovative Viper Fruit Net Bags.

Sizes:

20cm x 30cm - 15-VFTN-BAG



BIRD NETTING HARDWARE



AvePro Intermediate 100
Stainless Steel 13-APIA-05c
Intermediate cable fitting



AvePro Multi-Purpose 100
Stainless Steel 13-APIA-10a
Multi-purpose cable fitting



AvePro Masonry Anchor 100
Galvanised Steel 13-APIA-35
Intermediate cable fitting



AvePro Beam Clip 100
8-12mm, SS 13-APIA-20
12-20mm SS 13-APIA-30




AvePro Zipper Various
Black Delrin PVC/Cloth
600mm - 13-APAZ-15
900mm - 13-APAZ-17
1200mm - 13-APAZ-22



AvePro Zipper Slider EA
Delrin PVC / Coated Steel
13-APAZ-30



AvePro Custom Zipper per m
Delrin PVC / Cloth 13-APAZ-25
Available custom cut up to 100 meters



BIRD NETTING HARDWARE



AvePro Pad Eye 10
Stainless Steel 13-APCP-30b
Corner fitting for all surfaces



AvePro Net Bolt 10
Stainless Steel 13-APCP20
Corner fitting for masonry



AvePro Eye Bolt 20
Stainless Steel 13-APCP-05
Corner fitting for steel beams



AvePro St. Steel Cable 150m
Stainless Steel 13-APCF15
Heavy-duty 2.4mm 306 grade



AvePro 2.6mm Ferrules 100
Copper 13-APCF10
Suited to AvePro SS Cable



AvePro Turnbuckle Med. 10
Galvanised Steel 13-APT05
Suited to AvePro SS Cable



AvePro Turnbuckle SS. 10
Stainless Steel 13-APT05
Suited to AvePro SS Cable



AvePro Air Net Rings
Galvanised Steel 13-APCF60
Stainless Steel 13-APCF65
Rings for pneumatic air tool
10,000 gal or 2400 SS pk



AvePro Manual Net Rings
Stainless Steel 13-APCF35
Net rings for Manual tool
packs of 2,500

BIRD NETTING HARDWARE



AvePro Pneumatic Tool EA
13-APTO-13
Air powered tool for attaching
bird net to SS cable



AvePro Manual Tool EA
13-APTO-15
Hand held tool for attaching
bird net to SS cable



AvePro Crimping Tool EA
13-APTO-20
Manual ratchet tool for
crimping copper ferrules



AvePro Net Shears EA
13-APTO-30
Comfortable heavy-duty
scissors for cutting bird net




AvePro Spike Shears EA
13-APTO-40
Shears for cutting stainless
steel bird spikes bases



AvePro Bird Wire Tool EA
13-APTO-05
Crimping tool for bird wire
ferrules



AvePro Digital Track Tester
13-APTO-45
A critical tool for testing
voltage of Shock Track
installations




BIRD NETTING GALLERY



Canopy Netting - 19mm AvePro Deluxe



Elevated Roof Netting - 50mm AvePro Deluxe



Roof Netting - 19mm Beige AvePro Deluxe

BIRD NETTING GALLERY



Major Project - 19mm AvePro Deluxe



Plantroom Netting - 19mm AvePro Deluxe



BIRD SPIKES - POLY



AvePro Bird Spike Narrow

AvePro Bird Spike



AvePro bird spikes are the professionals' choice when it comes to deterring large pest birds from ledges, parapets, beams, roofs and numerous other building surfaces. AvePro offers building managers and professional installers a durable, effective and long-life system. The system is discreet, easy to install and offers versatility to conform to a wide range of architectural building features.

AvePro Bird Spike Narrow

Description:

Width: 50mm
Height: 115mm
Length: 500mm
CTN: 40 x 500mm (20 meter)
Order Code: 13-APBS-N20

Suited to use on beams and long, narrow architectural features.





AvePro Bird Spike Wide

AvePro Bird Spike Wide

Description:

Width: 125mm
Height: 115mm
Length: 500mm
CTN: 40 x 500mm (20 meter)
Order Code: 13-APBS-W20

Suited to use on wide variety of building ledges, edges, beams and architectural features.




AvePro Bird Spike Xtra-Wide

Description:

Width: 195mm
Height: 115mm
Length: 500mm
CTN: 40 x 500mm (20 meter)
Order Code: 13-APBS-XW20


Suited to use on wide variety of parapets, ledges and beams to reduce the need of multiple rows.



BIRD SPIKES - ST. STEEL



AvePro Deluxe Bird Spike Narrow



AvePro Deluxe Bird Spike Wide



AvePro Deluxe Bird Spike Xtra-Wide

AvePro St. Steel Bird Spikes


The harsh Australian climate and UV intensity has resulted in the development of the AvePro Stainless Steel Spikes. This product is 302 grade stainless steel, which remains one of the most durable construction materials available. The system has been in use for many years externally on Australian commercial buildings and industrial applications. AvePro has a 10-year manufacturer's replacement warranty for use in external, full sun situations.

Deluxe Bird Spike Narrow

Description:

Width: 50mm
Height: 115mm
Length: 500mm
CTN: 40 x 500mm (20 meter)
Order Code: 13-APDBS-20N

Suited to use on beams and long, narrow architectural features.




Deluxe Bird Spike Wide

Description:

Width: 125mm
Height: 115mm
Length: 500mm
CTN: 40 x 500mm (20 meter)
Order Code: 13-APDBS-20W

Suited to use on wide variety of building ledges, edges, beams and architectural features.




Deluxe Bird Spike Xtra-Wide


Description:

Width: 195mm
Height: 115mm
Length: 500mm
CTN: 40 x 500mm (20 meter)
Order Code: 13-APDBS-20XW

Suited to use on wide variety of parapets, ledges and beams to reduce the need of multiple rows.



BIRD SPIKES MICELLENEOUS



AvePro Deluxe Gutter Spike

Deluxe Gutter Spike

Width: 125mm

Height: 115mm

Length: 500mm

CTN: 40 x 500mm (20 meter)

Order Code: 13-APGS-20

Suited to use on wide variety of gutter configurations. The AvePro Deluxe Gutter Spike can be fixed with AvePro Bond (below), tech screws or pot rivets. The ideal spike to provide edge protection for larger birds on gutters.

Deluxe Possum Spike

Width: 45mm

Height: 35mm

Length: 450mm

CTN: (12 x 450mm pieces) 5.4m of spike

Order Code: Brown - 13-APPS-Brown

Black - 13-APPS-Black

Grey - 13-APPS-Grey

Designed to provide an effective deterrent to possums, cats, and rodents that use fences and other architectural features as a passage way. The polycarbonate, pointed spikes attached to fence capping, building ledges, balconies, and rafters are ideal to prevent pests from travelling across them.



AvePro Deluxe Possum Spike

AvePro Bond

AvePro Bond is used to securely bond AvePro products and components to most building surfaces and architectural features. It is UV stable, dries flexible, has a neutral cure and adheres strongly to most building surfaces.

This bond is the ideal for installing AvePro Bird Spikes, Shock Track, Bird Angle, Bird Slide, BirdWire Bases and AvePro Huntsman to almost all surfaces.

AvePro Bond is made in New Zealand and is designed for the rigors of the harsh Australian climate and building surfaces. One AvePro Bond cartridge will fix:

10-12m of Bird Spike
10-15m of Bird Shock
10-12m of Bird Slide
125 BirdWire PVC Bases

Colour: Grey or Clear
Pack Size: 300g
Product Code: 13-APST-30 - Grey
13-APST-45 - Clear



ELECTRIFIED DETERRENTS



AvePro Shock Track

AvePro Shock Track is an electrified system used for edge protection for deterring all pest birds. To power this track, you will need either a Solar or Mains powered Energiser. The 15m flexible track is fixed in place with AvePro Bond. AvePro Shock Track is a high deterrence, low visibility system that has been in use for many years at commercial buildings and industrial structures in Australia and New Zealand.

AvePro Shock Track

Supplied with a 5-year manufacturer's product replacement track warranty.

AvePro Shock Track is particularly useful for difficult-to-manage species such as crows, ravens, cockatoos, Indian mynas and starlings. The system is also well suited to pigeons, sparrows, seagulls and other traditional pest birds.

Recommended for retail, domestic, commercial and historical properties. The track can be easily attached to ledges, pipes, brick and stone walls, steel beams, roofs and parapets using a special bonding agent, and connected to an Australian-made energiser – solar or 240v powered system using energisers.

Ultra discreet – it includes a low profile design, only 8mm high and invisible when viewed from below with a choice of four colours to suit most buildings.

AvePro Shock Track

Height: 7mm

Width: 47mm

Length: 15m

Colour:

Beige: Product Code 13-APST-05

Grey: Product Code 13-APST-10

Black: Product Code 13-APST-15

Brick Red: Product Code 13-APST-20

ELECTRIFIED DETERRENTS



AvePro Shock Track Lead Wire



AvePro Shock Track
Corner Connector

AvePro Shock Track Straight Connector



AvePro Shock Track Connector Kit



AvePro
240v Energiser



AvePro Solar
Energiser

Shock Track Accessories

Shock Track Lead Wire:

Length: 15m

Colour:

Black: 13-APSF-25

Beige: 13-APSF-15

Grey: 13-APSF-20

Brick Red: 13-APSF-29

Shock Track Connections:

Straight Connections - 13-APSF-35a

Corner Connections - 13-APSF-45a

T-Junction Connections - 01-BS-Q10

Connections Kits (50) - 13-APSF-30

Shock Track Warning Labels

Pack of 10 - 13-APSF-10

Energisers:

AvePro Solar Energiser - 13-APSE-12

AvePro 240v Energiser Small - 13-APSE-15

AvePro 240v Energiser Large - 13-APSE-20

For a full listing of AvePro Shock Track:

See www.PestIT.com.au

This long-life electrified bird deterrent system comprises durable stainless-steel braid which delivers a strong, but harmless charge to teach birds to stay away from the building. AvePro Shock is widely used in zoos and animal parks in Australia.

AvePro Shock Track exhibits high resistance to UV rays with a variety of heavy-duty fixings and components to help install the product on almost any building or structure.



AvePro Shock Track Warning Label


ELECTRIFIED DETERRENTS



AvePro Tree Shock

Do you have a pest bird issue in trees?

There is nothing worse than a tree full of squawking, mess-making birds. Very often, the problem is so pervasive that property owners actually chop the tree down. Now, there is an attractive, effective, long-lasting solution that conditions the birds to leave the protected tree for good. The Tree Shock™ system is the solution property owners have been asking for.





Bird Wire Single Post



AvePro Bird Wire

Description:

AvePro BirdWire System is a discreet, versatile and durable deterrent for pigeons and larger pest birds. The product is ideal for use on exposed roof ridges, window ledges, parapets, pipes and other narrow architectural features. AvePro Wire System is manufactured from nylon coated stainless steel wire tensioned by stainless steel springs between stainless steel posts of various configurations.

AvePro Bird Wire Components:

AvePro BirdWire Posts for the AvePro BirdWire System.

Available in the following sizes

100mm Stainless Steel single posts
125mm Stainless Steel single posts

These can be installed into either PVC Bases or Anchor Rivets. The longest allowable distance between two posts is 1.25m.

100mm – pack of 25 13-APBW-15
100mm - pack of 100 13-APBW-25
125mm - pack of 25 13-APBW-20
125mm - pack of 100 13-APBW-30
Single Post and Base Stainless Steel pack 10 13-APBW35
Double Posts and Base – Stainless Steel pack 20 13-APBW-50

Triple Posts and Base – Stainless Steel
Supplied in Single Packs - 13-APBW-51

AvePro BirdWire Posts are used in Post and Wire systems.

These can be installed into either PVC Bases or Anchor Rivets. The longest allowable distance between two posts is 1.25m.

Bird Wire Double Post



NEW

Bird Wire Triple Post



Bird Management Support - To ensure you make the right choice for pest bird control, PestIT offers free design service, quoting support, establishment of a working budget and specifications for requirement. Having worked on the most ambitious bird exclusion projects completed in Australia, our value proposition relies on extensive knowledge backed by years of experience - Getting it right the first time!

BIRD WIRE HARDWARE



AvePro BirdWire Post 2 100
Stainless Steel 13-APBW-52
Post with two eyelet for
upper and lower wire.



AvePro Double Post 10
Stainless Steel 13-APBW-50
Double post on base for side
by side wire runs



AvePro Triple Post EA
Stainless Steel 13-APBW-51
Triple post on base for
multiple wire runs



AvePro BirdWire Cable
Nylon Coated Stainless Steel
100m 13-APBW-05
250m 13-APBW-10



AvePro Micro-Springs 100
Stainless Steel 13-APBW-55
Suited to AvePro BirdWire
Cable



AvePro Ferrules 1mm 100
Aluminium 13-APBW-60
Suited to AvePro BirdWire
Cable



AvePro Anchor Rivets 100
PVC 13-APBW-70
Suited to AvePro posts in
masonry



AvePro Glue Bases 20
Grey PVC 13-APBW-66
Suited to bonding AvePro
posts on various surfaces



AvePro Bond 320g
Polyurethane 13-APST-30 Grey
13-APST-45 Clear
Suited to bonding AvePro bases
on various surfaces

SOLAR EXCLUSION




Solar Panel Pigeon Exclusion

Pigeons that were once confined to nesting in the streetscape of our retail and commercial structures are now occupying the roofs of suburban homes in alarming numbers. With abundant food available at local parks, schools and retail areas, domestic and commercial solar panels are providing the perfect shelter for disease carrying, feral pigeons.

A single home with solar panels can support 40 or more pigeons. The smell, mess, loss of solar panel efficiency and damage to the homeowner's roof, gutters and water harvesting storage is severe.

Solar Panel Bird Proofing using our AvePro Solar Mesh with the unique Solar Mesh Clips provides an easy and effective solution which denies pest birds access without damaging your solar panel(s) or roof. Available in stainless steel with a 10-year manufacturer's warranty, the problem is solved in a few hours averting expensive damage to your roof.

The AvePro Solar Mesh exclusion system is the number one choice in all Australian building environmental situations. Unlike other similar products on the market, AvePro Solar Mesh is not a plastic coated galvanised mesh so there are no issues with rusting on the "cut" edges.



SOLAR EXCLUSION



AvePro Solar Exclusion Kit:

AvePro Solar Exclusion Kit for protecting solar panels from birds nesting around and under panels, bird faeces covering panels and other bird-related issues.

Kit includes:

- AvePro Solar Mesh Stainless Steel (230mm x 30m)
- AvePro Solar Exclusion Clips – Pack of 60, gloves, and Instruction manual
- Product Code: 13-APSCKIT

AvePro Solar Mesh:

AvePro Solar Mesh is constructed by marine-grade stainless steel 13mm x 13mm mesh. The wire mesh thickness is designed for strength, durability and low impact aesthetics. Available in rolls 230mm x 30 meters
Product Code: 13-APMS230.



AvePro Solar Exclusion Clip
Product Code: 13-APSc-10a

AvePro Solar Clips:

These single use clips have been designed by the PestIT team, exclusively for AvePro Bird Control Systems..
Product Code: 13-APSC-60su

AvePro Solar Panel Spikes:

AvePro Solar Panel spikes stop birds from roosting and nesting under roof solar panels. Ideal for solar panels that do not have a lip on the underside (pictured left) - no drilling or screwing required.

Easy to fit - simply fix the solar spikes onto the side of solar panels with solar clips - 30mm or 35mm (sold separately).


Stainless Steel Solar Spikes with fully adjustable pins on a poly base. Base length - 500mm. Pin length - 130mm. Carton of 20m

Product Code:


AvePro Solar Panel Spikes 20m - 13-APSSKIT

AvePro Solar Panel Clips 30mm x 100 - 13-APSPC-30

AvePro Solar Panel Clips 30mm x 100 - 13-APSPC-35



new



AvePro Poly Mesh:


NEW

AvePro Poly Mesh is a very versatile product with a multitude of exclusion and bird proofing uses. The AvePro Poly Mesh is supplied in two primary widths (500mm and 1000mm) and numerous Colorbond colours.

Ideal for use in commercial box gutters, the AvePro Poly Mesh is ridged enough to enclose many architectural features to exclude pest birds, rodents, possums, feral cats and the like.

Pictured left is AvePro Poly Mesh 1000m being installed over a commercial box gutter.

AvePro Poly Mesh will also exclude leaves, keeping gutters clean and unclogged.



Product Code:

AvePro Poly Mesh 500mm x m 13-APMP-500

AvePro Poly Mesh 1000mm x m 13-APMP-1000

AvePro Indoor Bird Laser



This powerful laser is the ideal bird deterrent for indoor commercial applications.



See Page 38

Viper Fly Traps

We have two new disposable traps in our range - The Viper Fruit Fly Trap and Viper Fly Bag

See Page 61



AvePro Bond Clear


Finally, we have a high grade clear bond for strong attachment to all surfaces.



See Page 22

AvePro Gotta Go

The ultimate cleaner and disinfectant for commercial surfaces. For when bird shit has Gotta Go.



See Page 40

AvePro Poly Mesh



AvePro Poly Mesh will exclude birds, possums, rats and leaves from commercial box gutters.

See Page 30

MinkPolice



Introducing a new version of the MinkPolice Trap Alert Sensor

See Page 48



Symterra

Formally Flock Off, now known as Symterra. Exciting new design arriving late 2024

See Page 33



Viper Deluxe Mouse Box

Our new and versatile mouse box to add to the Viper range

See Page 64



Viper Fruit Tree Netting

Our new welfare approved for domestic fruit trees and vegetable gardens. Available in a range of sizes and configurations

See Page 13



Viper UV LED Tube

Long-life highly attractive LED lamp to suit most modern fly traps


See Page 54



AvePro Solar Spikes

The ideal alternative to Solar Mesh, AvePro Solar Spikes are ideal for frameless solar panels, with 30 & 35mm attachment clips available.

See Page 29



Sparrow Magnet

A simple and humane trap for a difficult to control species - the House Sparrow.

See Page 44





Harm-Free Bird Control

Humane

Symterra EM Pro is silent, odorless, and completely harmless to birds, humans, and other animals.

Proven Effective

Once implemented, our technology is proven to permanently deter any bird that encounters it.

Safe and Simple

We're committed to creating safe and easy to implement systems - because you don't need to replace one hassle with another.





EMF - Electromagnetic Field Technology

Conceived by a quantum physicist in 2009, and developed by experts in Ornithology and Entomology, Flock Off is now known as Symterra. The system uses applied science to disrupt the migratory physiology of birds with a tuned, electromagnetic pulse, only felt by birds.

When birds fly near, Symterra disrupts a key protein in their bodies used to navigate. It affects mineral crystals present in their beaks and wave receptors in their ears, eyes, and brain. This momentarily halts their ability to judge speed, direction and distance. The birds experience what humans might feel as “vertigo” within 1.5m of the system...AND simply cannot land.

Unlike some bird control measures, Symterra is harmless to birds, harmless to humans and harmless to other animals. It is aesthetically pleasing, silent, low-profile and engineered for durability in all environments.

One Symterra system will protect up to 150 linear meters of structure with the capacitor set at 1.2m intervals. With Symterra, Birds humanely and naturally relocate themselves!

New Development for 2024:

At the time of catalogue release, a new version of the system, Symterra 4.0 is set to be available. Consisting of a redesign from the initial system launched by PestIT in Australia and New Zealand in 2022; the new Symterra has the capacitors and insulated wire fused in a series of 30m lengths consisting of 25 capacitors.

Each capacitor is set at 1.2m intervals, with a built in magnet for easy attachment to metal surfaces. The capacitors can also be glued or screwed to other surfaces.





New Development - 2024

At time of producing this catalogue, a new version of Symterra is being introduced to Australia and New Zealand by Pest IT.



Commercial & Retail



Agribusiness & Farming



Billboard & Signage



Sports Venues & Stadiums



Industrial & Warehouse




Solar Panel Installations



Institutional & Government



Utilities & Signal Towers



VISUAL DETERRENENTS

Eagle Eye Bird Control

Eagle Eye is a bird deterrent system introduced into Australia by PestIT, the innovators in bird management. The Eagle Eye's reflective pyramid rotates via an electric motor or wind-driven bearing, sending the beams around in a menacing pattern. The light spectrum reflected back by the Eagle Eye disorients birds in flight by limiting their vision significantly. This causes the bird to deviate in flight and fly to another destination. Eagle Eye's success in controlling bird problems has led to installation into hundreds of facilities Australia-wide.



Powering your Eagle Eye Unit:

The rotating system works in two ways:

Powered by 12-volt electricity from a 10watt solar panel or from a transformer plugged into an 240v AC outlet. The solar panel provides direct power to the unit that can only run during the day when the reflective flashes are at their most powerful.

Alternatively, wind-driven units can effortlessly rotate the unit. The minor drawback is on completely still days the unit will stand still. However, when used in conjunction with the powered units, the wind-units can expand the Eagle Eye zone at a lower cost.

Coverage:

The Eagle Eye can cover a vast area and should always be installed as part of a system or network of two units or more. The Eagle Eye reflects sunlight back in the direction of the sun, leaving an unprotected area behind the unit. This changes during the day as the sun moves from East to West. Buildings, trees and other obstacles can create shadows as well. To overcome this, multiple units or LED Lights should be used.



VISUAL DETERRENTS



Eagle Eye SILVER EA
Powered Unit 12v 08-EE2023
Solar, 240v or battery
operated for most birds



Eagle Eye RED EA
Powered Unit 12v 08-EE2024
Solar, 240v or battery
operated for marine birds



Eagle Eye Wind SILVER EA
Wind Powered 08-EE-WDB
Deterrence for most birds



Eagle Eye Wind RED EA
Wind Powered 08-EE-WDRB
Deterrence for marine birds



Bird Breezer RED EA
Wind Powered 08-EE-BBR
Deterrence for marine birds



Bird Breezer SILVER EA
Wind Powered 08-EE-BBS
Deterrence for most birds



Pro-Peller SILVER EA
Wind Powered 08-EE-PLL
Deterrence for most birds



Pro-Peller RED EA
Wind Powered 08-EE-PRED
Deterrence for marine birds

VISUAL DETERRENTS



Eagle Eye Flat Bracket EA
ABS plastic base 08-EE125
Use with 19mm poles



Eagle Eye Corner Bracket EA
ABS plastic base 08-EE122
Use with 19mm poles



Eagle Eye Bend EA
ABS plastic connection 08-EE108
Use with 19mm poles




Eagle Eye Sliding Bend EA
ABS plastic connection 08-EE146
Use with 19mm poles



Eagle Eye Straight Pole EA
Aluminium 19mm Pole 08-EE530
A30cm pole - for mounting Eagle Eye units. Other sizes available on request.



Eagle Eye Bent Pole EA
Aluminium 19mm Pole 08-BP-24
Ideal for parapet mounting of Eagle Eye units.



Eagle Eye 240v Kit EA
Complete kit supplied with base, post, transformer and fittings.
Red - 08-EE-KIT004Red
Silver - 08-EE-KIT004Silver



Eagle Eye Solar Kit EA
Complete kit supplied with solar panel, base, post and fittings.
Red - 08-EE-KIT02Red
Silver - 08-EE-KIT002



Eagle Eye Solar Panel EA
Replacement solar panel for powering Eagle Eye units.
08-EE135

Please Note: A full range of components and fittings are available on request.

VISUAL DETERRENTS

AvePro Laser Bird Repeller

Introducing the latest in bird deterrent technology – the AvePro Indoor Bird Laser 500.

These mounted bird lasers are ideal scare devices for deterring birds from domestic, commercial, industrial and agricultural situations – day and night!

The laser is suitable for a wide variety of pest birds and works by frightening the birds with intense spots and beams. Even better is local and international use indicates that pest birds do not become accustomed to the constantly moving beam and laser patterns making it a great long term solution.

To install, simply mount the laser on the bracket supplied and adjust the sweeping laser patterns over the area of bird activity. This could be the beam structure of a roof, an indoor area of a loading dock or any covered area impacted by pest birds.

- Easy to deploy in industrial and commercial situations,
- Low running costs,
- Permanent and automated solution,
- No habituation: birds do not get used to the laser beam,
- Deters a wide variety of pest bird species.
- 500mW Class 3B Laser

AvePro Indoor Bird Laser - 500



MISCELLANEOUS DETERRENTS



AvePro Huntsman

This physical deterrent provides “platform” protection on A/C units, lights, roof peaks and other broad applications. The legs of the Huntsman spin in the wind and with the approaching bird, create a menacing deterrence for larger species such as pigeons, ravens and the like.

- AvePro Huntsman 1.2m – 13-APLLS-1.2
- AvePro Huntsman 1.8m – 13-APLLS-1.8
- AvePro Boat Base - 13-APLLS-BB
- AvePro Glue Base - 13-APLLS-GB
- AvePro Sand Base - 13-APLLS-SB



BirdSlip

AvePro BirdSlip is a metal ledge deterrent. When installed, pest birds will be restricted from landing on the ledge and the birds literally slip off and are unable to roost or perch. AvePro BirdSlip is custom made to order; please email or call our office with the size base and height you require.

AvePro BirdSlip can also be use “inverted” for deterring Fairy Martins from nesting on eaves and other covered roof areas.

AvePro Bird Slip is custom made in a variety of colours, designed and supplied for your specific needs. Product Code: 13-APSC-00



AvePro Gutter Brush

AvePro Gutter Brush is easy to install and acts as a physical deterrent to birds, mice, rats and other pests from nesting and invading gutters and ceiling space. Gutter Brush is also a great deterrent for leaves as well. AvePro Gutter Brush 110mm is our primary stocked item. Also available in 125mm, 150mm and 175mm on request, supplied in 1 meter lengths.

- AvePro Gutter Brush 110 (1m) – 13-APGB-110
- AvePro Gutter Brush 125 (1m) – 13-APGB-125
- AvePro Gutter Brush 150 (1m) – 13-APGB-150-
- AvePro Solar Brush 175 (1m) – 13-APSPB-175



AvePro Gotta Go

AvePro Gotta Go is a heavy-duty bird waste cleaner that has the power to lift bird droppings from hard surfaces, including tiles, pavers, concrete and asphalt.

The build-up of bird droppings is associated with a favourite roosting site for local, disease carrying pest birds. While cleaning up the bird droppings is important, deterring the birds from roosting in that spot should also be considered a priority.

While birds are a natural and essential part of our environment, their poop can be unsightly, destructive, a health hazard and compliance risk. The acid in the droppings can be very destructive, can etch into delicate surfaces and accelerate corrosion.

Bird droppings can harbour a wide variety of pathogens that can be harmful to humans, pets and livestock. The build-up of bird poop can also attract other pests. Not only is AvePro Gotta Go an effective bird waste remover, but it is also a potent disinfectant that will sanitise the treated area making it safe for children and pets.

There are few things that are as unsightly as bird poop! It has the ability to make a beautiful and remarkable building look unhygienic and unkempt. Using a product such as AvePro Gotta Go as part of an ongoing building maintenance program will help maintain a building's fine finished and overall appearance and value.

Did You Know: Birds don't just use eye sight and the earth's magnetic field for navigation. Equally, birds use the olfactory sense of smell as a vital navigation mechanism. The odour of the roost is an important bond that birds with a specific location such as a night roost. Therefore it is vital to clean your infested bird site with Gotta Go to assist your deterrent to achieve a desired result.

AvePro Gotta RTU - 750ml

Ready-to-use Gotta Go for use on hard surfaces, with no need for dilution.
Product Code: 13-APGG-750



AvePro Gotta Conc. - 5L

Gotta Go Concentrate is ideal for commercial cleaners preparing a bird control site prior to entry or on completion of a project. Mix at a 10:1 ratio, apply, allow to soak (but not dry) and pressure wash away.
Product Code: 13-APGG-5



TRAINING & SUPPORT



Broad range of professional bird management solutions



On-site advice and quoting support



Tool, EWP Safety and Use Training



Silver Gulls

Larus sp.

- **Size:** 38cm – 45cm, 450g – 500g
- **Life Span:** 8 to 10 years
- **Food:** Scavenger, fish, crabs, insects, landfill and waste transfer stations.
- **Habitat:** Ground, building roofs and gutters
- **Nesting:** Seaweed, twigs on ground in safe open areas. In Southern Australia, nesting occurs on flat roofs for additional warmth and protection from predators.
- **Breeding:** May to October. One - two broods per year, 3 eggs, 24-day incubation



Online Training 24/7

Webinars, training and client support



Large Project Support



On-Site Training