
BIRD NETTING









AvePro Deluxe Bird Netting

10-year manufacturer's warranty

AvePro Bird Netting sets the industry standard for strength, quality, UV stability and is backed by a 10-year manufacturer's warranty. AvePro Bird Netting is the ideal choice when it comes to excluding pest bird access to any architectural configuration that can be enclosed. This includes industrial, commercial, agricultural and domestic situations. Examples include warehouse ceilings, courtyards, open roof tops, loading docks, awnings, overhangs, parking garages, and building facades.

Specifications:

- · Premium high-density polyethylene (HDPE) square, knotted net designed specifically for architectural use.
- · Heat and fire resistance, as well as pest (vermin) and chemical resistant.
- Pre-stretched and heat-set during production, ensures that this net will not sage excessively over time.
- The UV stability additive in the high-density polyethylene (HDPE) allows for our unbeatable manufacturer's backed 10 year warranty. Even under Australia's harsh external climate.
- AvePro Deluxe is made to an ISO9001 accreditation.

AvePro Deluxe Net Sizes

AvePro Bird Netting 19mm Sizes and Order Codes:

10m x 10m - 13-APNBD-191010 10m x 20m - 13-APNBD-192010 20m x 20m - 13-APNBD-192020 25m x 15m - 13-APNBD-192515 50m x 10m - 13-APNBD-195010

AvePro Bird Netting 50mm Sizes and Order Codes:

10m x 10m - 13-APNBD-501010 10m x 20m - 13-APNBD-502010 20m x 20m - 13-APNBD-502020 50m x 10m - 13-APNBD-505010









BIRD NETTING





AvePro Deluxe Bird Netting

Manufacture: 6 strands of Polyethylene UV treated twine.

The filaments are twisted and knotted for ultimate strength and longevity.

Heat-set, pressure stretched and tightened.

The number of strands: 2 x 3 Colour: Black, Beige and White Twine Thickness: 1.0mm, 600D GSM: 68 Grams Per Square Metre

UV Resistance: 10 years

Breaking strength per strand: 17kg



AvePro Deluxe Netting Kit

Introducing the newest and best way to purchase premium AvePro Deluxe Bird Net for your next bird job. You can save up to 30% off our standard trade price. This includes all the components needed, including AvePro Deluxe Bird Net, our premium 10-year warranty HDPE knotted 19mm netting, combined with ALL stainless steel components needed. Using our strongest 2.4mm 7×7 cable, your next netting install will be stronger, more corrosive resistant, longer-lasting and more economical than ever.



AvePro Deluxe Net Bird Kits:

Available in three sizes:

10m x 10m (100m2) Kit - 13-APKIT1010 20m x 10m (200m2) Kit - 13-APKIT1020 20m x 20m (400m2) Kit - 13-APKIT2020

FRUIT TREE NETTING





Viper Fruit Tree Netting

Manufacture: 5mm x 5mm diamond netting strands of Polyethylene UV treated twine.

Colour: White

Construction: Woven

GSM: 30 Grams Per Square Metre

UV Resistance: 5 years



Introducing our new, humane, wildlife compliant 5mm x 5mm woven diamond bird netting. Ideal for use in domestic fruit trees, vegetable patches and gardens. This fine netting provides protection from pest birds, flying foxes, batts, deer, possums and a variety of damaging critters.



2.5m x 2.5m - 15-VFTN-2.5x2.5m 4m x 4m - 15VFTN-4x4m 10m x 10m - 15VFTN-10x10

Viper Premium Fruit w Velco

Fully enclose your fruit trees with our premium 5mm x 5mm diamond netting with both velcro and a draw string. Super convenient for accessing ripening fruit, but completely safe to protect your valuable crop from maurading (spell) birds and animals.



1.25m x 2.5m - 15-VFTNV-1.2x2.5

Viper Fruit Net Bags

If your tree is too large to use a drape net or enclose the whole tree, you can protect individual or groups of fruit with our innovative Viper Fruit Net Bags.

Sizes:

20cm x 30cm - 15-VFTN-BAG













new



BIRD NETTING HARDWARE





AvePro Intermediate 100 Stainless Steel 13-APIA-05c Intermediate cable fitting



AvePro Multi-Purpose 100 Stainless Steel 13-APIA-10a Multi-purpose cable fitting



AvePro Masonry Anchor 100 Galvanised Steel 13-APIA-35 Intermediate cable fitting



AvePro Beam Clip 100 8-12mm, SS 13-APIA-20 12-20mm SS 13-APIA-30




AvePro Zipper Various Black Delrin PVC/Cloth 600mm - 13-APAZ-15 900mm - 13-APAZ-17 1200mm - 13-APAZ-22



AvePro Zipper Slider EA Delrin PVC / Coated Steel 13-APAZ-30



AvePro Custom Zipper per m Delrin PVC / Cloth 13-APAZ-25 Available custom cut up to 100 meters











BIRD NETTING HARDWARE





AvePro Pad Eye 10 Stainless Steel 13-APCP-30b Corner fitting for all surfaces



AvePro Net Bolt 10 Stainless Steel 13-APCP20 Corner fitting for masonry



AvePro Eye Bolt 20 Stainless Steel 13-APCP-05 Corner fitting for steel beams



AvePro St. Steel Cable 150m Stainless Steel 13-APCF15 Heavy-duty 2.4mm 306 grade



AvePro 2.6mm Ferrules 100 Copper 13-APCF10 Suited to AvePro SS Cable



AvePro Turnbuckle Med. 10 Galvanised Steel 13-APTB05 Suited to AvePro SS Cable



AvePro Turnbuckle SS. 10 Stainless Steel 13-APTB15 Suited to AvePro SS Cable



AvePro Air Net RIngs
Galvanised Steel 13-APCF60
Stainless Steel 13-APCF65
Rings for pneumatic air tool
10,000 gal or 2400 SS pk



AvePro Manual Net Rings Stainless Steel 13-APCF35 Net rings for Manual tool packs of 2,500

BIRD NETTING HARDWARE





AvePro Pneumatic Tool EA 13-APTO-13 Air powered tool for attaching bird net to SS cable



AvePro Manual Tool EA
13-APTO-15
Hand held tool for attaching
bird net to SS cable



AvePro Crimping Tool EA
13-APTO-20
Manual ratchet tool for
crimping copper ferrules



AvePro Net Shears EA 13-APTO-30 Comfortable heavy-duty scissors for cutting bird net



AvePro Spike Shears EA 13-APTO-40 Shears for cutting stainless steel bird spikes bases



AvePro Bird Wire Tool EA 13-APTO-05 Crimping tool for bird wire ferrules




AvePro Digital Track Tester 13-APTO-45 A critical tool for testing voltage of Shock Track installations



BIRD NETTING GALLERY







Canopy Netting - 19mm AvePro Deluxe





Elevated Roof Netting - 50mm AvePro Deluxe







Roof Netting - 19mm Beige AvePro Deluxe

BIRD NETTING GALLERY









Major Project - 19mm AvePro Deluxe

